
Can drug prohibition be successful?

Kristiana Bebre University of Latvia



Alcohol

es pētu


henododu, henosodu, hemudinu.

What would be successful to drug prohibition?



- 1. Drug free world?
- 2. World free of drug users?
- 3. World free of drug sellers?
- 4. World free of drug harms?

Prohibition effects



United Nations set out a 10 year plan in 1998 to reach a "drug-free world" by 2008 (Wood et al, 2009)

Result?

- Massive illicit market has emerged (approx. \$320 billion) (UNODC, 2005)
- Increased drug expenditures have not prevented the growth of this market
 - Falling drug prices
 - Increasing purity & supply (ibid.)
- Increased drug-law enforcement expenditure
 - US incarceration of drug offenders has resulted in worlds highest incarceration rate (Fellner & Vinci, 2008)
 - Consistent association between drug prohibition & increased drug-market violence


Countries with most stringent prohibitive drug policies do not have lower levels of drug use than countries with policies that focused on more evidence-based approaches

(EMCDDA, 2008)

UK Psychoactive Substances Act 2016

- 332 retailers having ceased the sale of NPS
 - Anecdotal feedback from police confirms that open sale has ceased
 - Large scale shift away from retailers to street dealers & internet for recreational users
- A considerable reduction in NPS use primarily among 16-24
 - Increase in Class A Drug use among 16-59 year olds
 - Qualitative evidence shows some displacement from NPS to 'traditional' drugs for vulnerable users
- Potency of NPS has increased, especially synthetic cannabinoids





US Alcohol prohibition 1920-1933

Temperance was largest enduring middle-class movement of 19th century.




Alcoholic drink in any form was dangerous and destructive... Moderate consumption... naturally led to compulsive use - to addiction

- Prohibition was massively & openly violated
- Adulterated & even poisonous alcohol was sold
- Many... were locked up for violating prohibition laws



Prohibition - Taliban way?

Taliban's ban on opium has come into force estimating 80%+ reduction in Afghan opium production - which supplies about 95% of EU heroin market



es pêtu

<u>Results?</u>


- A. Opium ban is not sustained
- B. Opium ban is sustained & production is displaced to other regions
- C. Opium ban is sustained & displaced production doesn't meet demand & synthetic opioids fill the market void



Prohibition effects

The most conspicuous harms of drugs currently are those caused by prohibition

(MacCoun & Reuter, 2001)



If not prohibition, then what?

Harm reduction refers to policies, programmes and practices that aim to minimise the negative health, social and legal impacts associated with drug use, drug policies and drug laws.

NEEDLE & SYRINGE Programmes

SAFER DRUG USE

It **focuses on positive change** and working with people without judgement, coercion, discrimination, or requiring that people stop using drugs as a precondition of support.




Nicotine harms

- 95% of harms associated with nicotine use can be attributed to the combustion process (Public Health England, 2015)
- E-cigarettes are effective in helping individuals quit smoking (Hartmann-Boyce et al, 2022)
- E-cigarettes pose a positive population-level effect on smoking in several countries, e.g. UK & New Zealand (Beard et al, 2016; Edwards et al, 2022)
- Countries with high e-cigarette use have some of the lowest youth smoking rates (Shahab et al, 2022)
- Existence of a gateway effect often have methodological flaws and cannot rule out alternative explanations (Shahab et al, 2022)



High tobacco consumption in LV

Prevalence of daily tobacco smoking in populations aged 15+, 2021



Source: IHME, Global Burden of Disease

OurWorldInData.org/smoking . CC BY

es pêtu.

THR effects on smoking prevalence

NHS

South Tees Hospitals

Quit smoking. On us.

Free quitting aids and support exclusively for NHS staff.


Now's the time to quit! NHS staff can receive a range of FREE support to quit smoking. Sign up today to access:

- Free Nicotine Replacement Therapy (NRT).
- A free refillable e-cigarette.
- A motivational 12 week support programme.
- Free premium access to the new Smokefree app, giving you 24/7 support.

For local support: Call: 01642 727579 Or scan the QR code:



This offer is provided by the North East and North Constrile ICS for NHS shall working across the region For more information about this offer, please contact bitschoologys



Does prohibition still seem like the safe option?





References

- 1. Adley, M. (2014) Drugs Wheel. Available at: http://www.thedrugswheel.com
- Beard, E., West, R., Michie, S. & Brown, K. (2016) 'Association between electronic cigarette use and changes in quit attempts, success of quit attempts, use of smoking cessation pharmacotherapy, and use of stop smoking services in England: TIme series analysis of population trends', *BMJ*, 354(i4645).
- 3. Edwards, R., Ball, J., Hoek, J. & Waa, A. (2022) *Key findings for smoking and e-cigarette use prevalence and trends in 2021/22 NZ Health Survey: Continued rapid falls in smoking prevalence and increases in vaping*. Available at: <u>https://www.phcc.org.nz/briefing/key-findings-202122-nz-health-survey-continued-rapid-falls-smoking-prevalence-and</u>
- 4. EMCDDA (2008) Statistical bulletin 2008. Available at: https://www.emcdda.europa.eu/stats08
- 5. Fellner, J. & Vinck, P. (2008) *Targetting blacks: Drug law enforcement and race in the United States*. Available at: <u>https://www.hrw.org/report/</u> 2008/05/05/targeting-blacks/drug-law-enforcement-and-race-united-states
- 6. Harm Reduction International (2022) What is harm reduction? Available at: https://hri.global/what-is-harm-reduction/
- 7. Hartmann-Boyce, J., Lindson, N., Butler, A., McRobbie, H., Bullen, C., Beth, R., Theodoulou, A., Notley, C., Rigotti, N., Turner, T., Fanshawe, T. & Hajek, P. (2022) 'Electronic cigarettes for smoking cessation', *Cochrane Database Systematic Reviews*, 11(11).
- 8. Home Office (2018) *Review of the Psychoactive Substances Act* 2016. Available at: <u>https://assets.publishing.service.gov.uk/government/uploads/</u> <u>system/uploads/attachment_data/file/756896/Review_of_the_Psychoactive_Substances_Act_2016__web_.pdf</u>
- 9. Jackson, S., Shahab, L., Brown, J., McNeil, A. & Bullen, C. (2023) 'Electronic nicotine delivery systems: Pragmatism or expectancy? Authors' reply', *The Lancet*, 401(10383), pp.1155-1156.
- 10. Levine, H. & Reinarman, C. (2004) Alcohol prohibition and drug prohibition. Available at: http://www.cedro-uva.org/lib/levine.alcohol.html
- 11. Mansfield, DD. (2023) Truly unprecedented: The Taliban drugs ban v2.0. Available at: https://www.alcis.org/post/taliban-drugs-ban
- 12. Nitration, E., Kant-Brown, J., Ash, M., McKee, M., Marmot, M. & King, L. (2019) 'Economic decline, incarceration, and mortality from drug use disorders in the USA between 1983 and 2014: An observational analysis', *The Lancet*, e326-e333.
- 13. Our World in Data (2023) Smoking. https://ourworldindata.org/smoking
- 14. Available at: Public Health England (2015) *E-cigarettes: An evidence Update.* Available at: <u>https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/733022/</u>

Ecigarettes_an_evidence_update_A_report_commissioned_by_Public_Health_England_FINAL.pdf

- 15. Shahab, L., Brown, J., Belen, L., Beard, E., West, R. & Munafo, M. (2022) 'Unpacking the gateway hypothesis of e-cigarette use: The need for triangulation of individual- and population-level data'. *Nicotine & Tobacco Research*, 24(8), pp.1315-1318.
- 16. Wood, E., Werb, D., Marshall, B., Montaner, J. & Kerr, T. (2009) 'The war on drugs: A devastating public-policy disaster', The Lancet, 373, pp.989-990.
- 17. UNODC (2005) World Drug Report 2005. Available at: https://www.unodc.org/unodc/en/data-and-analysis/WDR-2005.html